


JOB NUMBER: 95265

PROJECT NAME:

PROJECT LOCATION:


PROJECT LOCATION:

PROJECT COUNTY:



DRAWING INDEX

COVER SHEET:	1
BUILDING INFO COVERSHEET:	2
ANCHOR BOLT PLAN:	3
ANCHOR BOLT DETAILS:	4
ANCHOR BOLT REACTIONS:	5
RIGID FRAME ELEVATION(S):	6
SIDEWALL FRAMING & SHEETING:	7, 8
ENDWALL FRAMING & SHEETING:	9, 10
ROOF FRAMING & SHEETING PLAN:	11
DETAIL DRAWINGS:	12, 13, 14, 15, 16, 17




ANCHOR BOLT PLAN
 NOTE: ALL BASE PLATES @ 100'-0" (U.N.)

ANCHOR BOLT SUMMARY

QTY	LOCATE	DIA (in)	TYPE
4	JAMB	5/8"	A307
12	ENDWALL	5/8"	A307
8	ENDWALL	3/4"	A307
8	FRAME	3/4"	A307
16	PORTAL COL	3/4"	A307


ISSUE	DATE	DWN.	CHK.	ENG.
APPROVAL	05/07/25	MEZ	MEZ	DAR
PERMIT	03/10/25	AA	CAF	DAR
ERECTION	05/07/25	OGR	OGR	DAR



1101 3RD AVE
 GRAND JUNCTION, CO 81501
 PHONE: (800)-497-2135
 WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	3 OF 17
JOB NUMBER:	95265
SHEET TITLE:	ANCHOR BOLT PLAN

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.



RIGID FRAME: MAXIMUM REACTIONS, ANCHOR BOLTS, & BASE PLATES

Frm Line	Col Line	Load Id	Column_Reactions(k)				Hmin	V	Bolt(in)	DIA	Base_Plate(in)			Grout (in)
			Hmax	V	Load Id	H					Width	Length	Thick	
2	D	1	8.2	32.7	4	-2.8	-1.9	4	0.750	6.000	10.75	0.375	0.0	
					2	-2.2	-3.4							
2	A	5	2.6	-1.7	1	-8.2	35.0	4	0.750	6.000	10.75	0.375	0.0	
			-8.2	35.0	3	2.4	-3.2							

WIND BENT REACTIONS

Loc	Wall Line	Col Line	± Reactions				Bolt(in)	DIA	Base_Plate(in)			Thick
			Horz	Wind(k)	Vert	Seismic(k)			Horz	Length	Thick	
F_SW	A	1	1.0	2.1	1.0	2.0	4	0.750	6.000	8.125	0.375	
F_SW	A	2	1.0	2.1	1.0	2.0	4	0.750	6.000	8.125	0.375	
B_SW	D	2	0.9	1.0	1.0	1.1	4	0.750	6.000	7.875	0.375	
B_SW	D	1	0.9	1.0	1.0	1.1	4	0.750	6.000	7.875	0.375	

NOTES FOR REACTIONS

Building reactions are based on the following building data:

- Width (ft) = 30.00
- Length (ft) = 40.00
- Eave Height (ft) = 12.00/19.50
- Roof Slope (rise/12) = 3.0/12
- Dead Load (psf) = 2.49
- Collateral Load (psf) = 6.00
- Live Load (psf) = 20.00
- Snow Load (psf) = 80.00
- Ultimate Wind Speed (mph) = 115.00
- Wind Code = IBC-18
- Exposure = C
- Closed/Open = Enclosed
- Importance Wind = 1.00
- Importance Seismic = 1.00
- Seismic Zone = C
- Seismic Coeff (Fa*Ss) = 0.51

BUILDING BRACING REACTIONS

Loc	Wall Line	Col Line	± Reactions(k)				Panel_Shear (lb/ft)		Note
			Horz	Wind	Vert	Seismic	Wind	Seis	
L_SW	1	C,B	2.4	3.2	1.0	1.3			(a)
F_SW	A	1,2							
R_SW	3	B,C	2.4	3.1	1.0	1.3			(a)
B_SW	D	1,2							

(a) Wind bent in bay

Reactions for seismic represent shear force, Eh
Reaction values shown are unfactored

ANCHOR BOLT SUMMARY

QTY	LOCATE	DIA (in)	TYPE
○ 4	JAMB	5/8"	A307
○ 12	ENDWALL	5/8"	A307
⊗ 8	ENDWALL	3/4"	A307
⊗ 8	FRAME	3/4"	A307
⊗ 16	PORTAL COL	3/4"	A307

RIGID FRAME: BASIC COLUMN REACTIONS (k)

FRAME Line	Column Line	Dead		Collateral		Live		Snow		Wind_Left1		Wind_Right1	
		Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert
2	D	0.3	1.4	0.6	2.2	1.8	7.3	7.3	29.1	-4.0	-7.1	3.4	-1.4
2	A	-0.3	1.6	-0.6	2.4	-1.8	7.7	-7.3	30.9	-2.2	-4.6	4.3	-6.9

FRAME Line	Column Line	Wind_Left2		Wind_Right2		Wind_Long1		Wind_Long2		Seismic_Left		Seismic_Right	
		Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert
2	D	-4.9	-4.5	3.0	1.0	0.8	-5.4	0.7	-3.8	-1.4	-1.2	1.4	1.2
2	A	-1.4	-2.3	4.7	-4.5	0.0	-6.3	-1.0	-3.5	-1.0	1.2	1.0	-1.2

FRAME Line	Column Line	MIN_SNOW	
		Horz	Vert
2	D	1.8	7.3
2	A	-1.8	7.7

ENDWALL COLUMN: BASIC COLUMN REACTIONS (k)

Frm Line	Col Line	Dead Vert	Collat Vert	Live Vert	Snow Vert	Wind_Left1		Wind_Right1		Wind_Left2		Wind_Right2		Wind Press Horz
						Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert	
1	D	0.2	0.2	0.7	2.7	0.0	-0.5	0.0	-0.6	0.0	-0.1	0.0	-0.3	-0.9
1	C	0.5	0.7	2.3	9.3	-1.6	-4.4	0.0	2.2	-1.6	-3.6	0.0	2.6	-1.1
1	B	0.5	0.7	2.3	9.3	0.0	-0.7	2.4	-4.7	0.0	0.1	2.2	-3.6	-1.4
1	A	0.3	0.2	0.8	3.1	0.0	-0.2	0.0	-0.7	0.0	-0.3	0.0	-0.6	-1.5

Frm Line	Col Line	Wind Suct Horz	Wind_Long1		Wind_Long2		Seis_Left		Seis_Right		Seis Long Vert	MIN_SNOW	
			Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert			
1	D	1.0	0.0	-0.9	0.0	-0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.7
1	C	1.2	0.0	-0.8	0.0	-0.7	-1.0	-1.2	0.0	1.5	0.0	0.0	2.3
1	B	1.5	1.0	-3.6	0.4	-1.9	0.0	1.2	1.0	-1.4	0.0	0.0	2.3
1	A	1.7	0.0	-0.5	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8

Frm Line	Col Line	E1PAT_SL_1		E1PAT_SL_2		E1PAT_SL_3		E1PAT_SL_4	
		Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert
1	D	0.0	1.7	0.0	0.1	0.0	1.3	0.0	-0.3
1	C	0.0	2.1	0.0	-0.2	0.0	4.9	0.0	2.5
1	B	0.0	-0.2	0.0	1.9	0.0	2.7	0.0	4.9
1	A	0.0	0.1	0.0	1.9	0.0	-0.3	0.0	1.5

Frm Line	Col Line	Dead Vert	Collat Vert	Live Vert	Snow Vert	Wind_Left1		Wind_Right1		Wind_Left2		Wind_Right2		Wind Press Horz
						Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert	
3	A	0.2	0.2	0.8	3.1	0.0	-0.7	0.0	-0.2	0.0	-0.6	0.0	-0.3	-0.7
3	B	0.4	0.7	2.3	9.3	-2.4	-4.7	0.0	-0.7	-2.2	-3.6	0.0	0.1	-1.3
3	C	0.4	0.7	2.3	9.3	0.0	2.1	1.6	-4.4	0.0	2.6	1.6	-3.6	-1.1
3	D	0.1	0.2	0.7	2.7	0.0	-0.6	0.0	-0.5	0.0	-0.3	0.0	-0.1	-0.4

Frm Line	Col Line	Wind Suct Horz	Wind_Long1		Wind_Long2		Seis_Left		Seis_Right		Seis Long Vert	MIN_SNOW	
			Horz	Vert	Horz	Vert	Horz	Vert	Horz	Vert			
3	A	0.8	0.0	-0.5	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8
3	B	1.5	-1.0	-3.6	-0.4	-1.9	-1.0	-1.4	0.0	1.1	0.0	0.0	2.3
3	C	1.2	0.0	-0.8	0.0	-0.8	0.0	1.5	1.0	-1.2	0.0	0.0	2.3
3	D	0.5	0.0	-0.9	0.0	-0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.7

ENDWALL COLUMN: MAXIMUM REACTIONS, ANCHOR BOLTS, & BASE PLATES

Frm Line	Col Line	Column_Reactions(k)				Hmin	V	Bolt(in)	DIA	Base_Plate(in)			Grout (in)
		Load Id	Hmax	V	Load Id					Width	Length	Thick	
1	D	6	0.6	-0.4	7	-0.5	-0.4	4	0.750	6.000	8.000	0.375	0.0
		8	0.0	3.5	6	0.6	-0.4						
1	C	9	0.7	-2.4	7	-0.7	-0.2	2	0.625	3.500	8.000	0.250	0.0
		10	0.0	10.7	9	0.7	-2.4						
1	B	11	0.9	-2.5	7	-0.8	-1.9	2	0.625	3.500	8.000	0.250	0.0
		12	0.0	10.7	11	0.9	-2.5						
1	A	11	1.0	-0.2	7	-0.9	-0.1	4	0.750	6.000	8.000	0.375	0.0
		13	0.0	4.0	11	1.0	-0.2						
3	A	9	0.5	-0.3	7	-0.4	-0.2	2	0.625	3.500	8.000	0.250	0.0
		14	0.0	3.8	9	0.5	-0.3						
3	B	9	0.9	-2.6	7	-0.8	-1.9	2	0.625	3.500	8.000	0.250	0.0
		15	0.0	10.7	9	0.9	-2.6						
3	C	11	0.7	-2.4	7	-0.6	-0.2	2	0.625	3.500	8.000	0.250	0.0
		16	0.0	10.7	11	0.7	-2.4						
3	D	6	0.3	-0.4	7	-0.3	-0.4	2	0.625	3.500	8.000	0.250	0.0
		17	0.0	3.4	6	0.3	-0.4						

ENG.	CHK.	DAR	MEZ	DAR	CAF	DAR	OGR	DAR
DWN.	MEZ	AA	OGR	DAR	DAR	DAR	DAR	DAR
DATE	05/07/25	03/10/25	05/07/25					
ISSUE	APPROVAL	PERMIT	ERECTION					

1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM


CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	5 OF 17
JOB NUMBER:	95265
SHEET TITLE:	ANCHOR BOLT REACTIONS

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.

SPLICE BOLT TABLE						
Mark	Qty		Int	Type	Dia	Length
	Top	Bot				
SP1	4	4	0	A325	5/8"	2"
SP2	4	4	2	A325	5/8"	2"

MEMBER TABLE						
Mark	Web Depth		Web Plate		Outside Flange	Inside Flange
	Start/End	Thick	Length	Thick	W x Thk x Length	W x Thk x Length
RF1-1	10.0/16.8	0.135	9'-7 5/16"		5 x 1/4" x 11'-2 7/8"	5 x 3/8" x 9'-10 1/2"
RF1-2	16.8/17.0	0.164	1'-11 7/8"		5 x 1/4" x 2'-2 1/4"	
	17.0/23.3	0.164	20'-0"		5 x 1/4" x 25'-8 1/8"	5 x 1/4" x 25'-6 1/4"
RF1-3	23.3/25.0	0.164	6'-0 7/16"			
	25.0/24.8	0.188	3'-2 5/8"		5 x 1/4" x 2'-10 7/16"	5 x 3/8" x 15'-5 5/8"
	24.8/19.7	0.164	5'-2 1/16"		5 x 1/4" x 18'-4 11/16"	
	19.7/10.0	0.135	10'-0"			

▽ FLANGE BRACES: FBxx (1 or 2)
 xx=length(in)
 (1) One Side; (2) Two Sides
 A - 2X2X14Ga




RIGID FRAME ELEVATION: FRAME LINE 2

ISSUE	DATE	DWN.	CHK.	ENG.	APPROVAL			
					MEZ	DAR	CAF	DAR
APPROVAL	10/07/25							
PERMIT	03/10/25							
ERECTION	05/07/25							


1101 3RD AVE
 GRAND JUNCTION, CO 81501
 PHONE: (800)-497-2135
 WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	6 OF 17
JOB NUMBER:	95265
SHEET TITLE:	RIGID FRAME ELEVATION

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.



SIDEWALL FRAMING: FRAME LINE A
NOTE: F.L.F.O. = Field Located Frame Opening



SIDEWALL SHEETING & TRIM: FRAME LINE A
PANELS: 26 GA. PBR - RUSTIC RED

TRIM TABLE FRAME LINE A				
◇ID	QUAN	PART	LENGTH	DETAIL
1	3	FL-60	10'-2"	TD74
3	2	FL-10	19'-6"	TD40
4	2	FL-315	10'-2"	TD18
5	1	FL-315L	11'-2"	TD85
6	1	FL-315R	11'-2"	TD85
7	2	FL-48	7'-2"	TD51
8	1	FL-52	3'-4"	TD52
9	2	FL-48	3'-4"	TD51
10	1	FL-52	4'-4"	TD52
11	1	FL-50	4'-4"	TD52
12	2	FL-55	10'-3"	TD51
13	2	FL-48	10'-2"	TD51
14	1	FL-55	12'-7"	TD52
15	1	FL-52	12'-4"	TD52

BOLT TABLE FRAME LINE A				
LOCATION	QUAN	TYPE	DIA	LENGTH
WF-1 - WF-2	8	A325	5/8"	2 1/4"
WF-1 - EC-4	8	A325	5/8"	1 1/2"
WF-1 - RF1-3	8	A325	5/8"	1 1/2"

MEMBER TABLE FRAME LINE A			
QUAN	MARK	PART	LENGTH
2	WF-1	W8X18	18'-4"
1	WF-2	W8X18	16'-10 13/16"
2	DJ-1	8x25C16	3'-0"
1	DJ-2	8x25C16	18'-7 7/16"
1	DJ-3	8x25C16	18'-7 7/16"
1	DH-1	8x25C16	11'-11 1/2"
1	DH-2	GH-1	4'-0"
1	DS-1	GH-1	4'-0"
1	E-1	H10E16-3	19'-11 1/2"
1	E-2	H10E16-3	19'-11 1/2"
4	G-8	8X25Z16	23'-7 11/16"
1	G-9	8X25Z16	11'-11 1/2"
4	G-10	8X25Z16	3'-7 11/16"


CONNECTION PLATES FRAME LINE A		
◇ID	QUAN	MARK
1	2	CL-210
2	12	CL-103
3	4	CL-100
4	2	CL-200

ENG.	CHK.	DAR	DAR	DAR	DAR
DATE	DWN.	MEZ	CAF	OGR	DAR
10/07/75					
03/07/75					
06/07/75					
ISSUE	APPROVAL	PERMIT	ERECTION		


1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	7 OF 17
JOB NUMBER:	95265
SHEET TITLE:	SIDEWALL FRAMING & SHEETING

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR RECORD THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.



SIDEWALL FRAMING: FRAME LINE D
NOTE: F.L.F.O. = Field Located Frame Opening



SIDEWALL SHEETING & TRIM: FRAME LINE D
PANELS: 26 GA. PBR - RUSTIC RED

TRIM TABLE FRAME LINE D				
◇ID	QUAN	PART	LENGTH	DETAIL
1	4	FL-60	10'-2"	TD74
2	2	FL-10	12'-0"	TD40
3	2	FL-29	10'-2"	TD16
4	1	FL-29L	11'-2"	TD13
5	1	FL-30L	9 1/2"	TD85
6	1	FL-29R	11'-2"	TD13
7	1	FL-30R	9 1/2"	TD85
8	8	FL-48	3'-4"	TD51
9	4	FL-52	4'-4"	TD52
10	4	FL-50	4'-4"	TD52

BOLT TABLE FRAME LINE D				
LOCATION	QUAN	TYPE	DIA	LENGTH
WF-3 - WF-4	8	A325	5/8"	2"
WF-3 - RF1-1	8	A325	5/8"	1 1/2"
WF-3 - EC-1	8	A325	5/8"	1 1/2"

MEMBER TABLE FRAME LINE D			
QUAN	MARK	PART	LENGTH
2	WF-3	W8X10	10'-11"
1	WF-4	W8X18	16'-11 3/16"
8	DJ-1	8X25C16	3'-0"
4	DH-2	GH-1	4'-0"
4	DS-1	GH-1	4'-0"
1	E-3	L10E16-3	19'-11 1/2"
1	E-4	L10E16-3	19'-11 1/2"
3	G-11	8X25Z16	21'-1 1/2"
3	G-12	8X25Z16	21'-1 1/2"


CONNECTION PLATES FRAME LINE D		
◇ID	QUAN	MARK
1	2	CL-210
2	16	CL-103

ENG.	CHK.	DAR	DAR	DAR	DAR
ISSUE	APPROVAL	PERMIT	ERECTOR		
DATE	10/07/25	03/10/25	05/07/25		
	MEZ	CAF	OGR		


1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	8 OF 17
DWG NUMBER:	95265
SHEET TITLE:	SIDEWALL FRAMING & SHEETING

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.



ENDWALL FRAMING: FRAME LINE 1
NOTE: F.L.F.O. = Field Located Frame Opening



ENDWALL SHEETING & TRIM: FRAME LINE 1
PANELS: 26 GA. PBR - RUSTIC RED

TRIM TABLE
FRAME LINE 1

OID	QUAN	PART	LENGTH	DETAIL
1	3	FL-60	10'-2"	TD74
2	1	FL-21	11'-2"	TD35
3	1	FL-21L	11'-2"	TD85
4	1	FL-328L	9 1/2"	TD13
5	1	FL-21R	11'-2"	TD85
6	1	FL-328R	9 1/2"	TD13
7	4	FL-48	3'-4"	TD51
8	2	FL-52	4'-4"	TD52
9	2	FL-50	4'-4"	TD52

BOLT TABLE
FRAME LINE 1

LOCATION	QUAN	TYPE	DIA	LENGTH
COR_COLUMN/RAFTER	4	A325	5/8"	1 1/2"
INT_COLUMN/RAFTER	2	A325	5/8"	1 1/2"

MEMBER TABLE
FRAME LINE 1

QUAN	MARK	PART	LENGTH
1	EC-1	W8X10	11'-5 1/2"
1	EC-2	8x25C14	12'-7 9/16"
1	EC-3	8x25C12	15'-7 9/16"
1	EC-4	W8X10	18'-5 3/8"
1	ER-1	W8X10	28'-3 3/4"
4	DJ-1	8x25C16	3'-0"
2	DH-2	GH-1	4'-0"
2	DS-1	GH-1	4'-0"
3	G-1	8X25Z16	7'-3 9/16"
3	G-2	8X25Z16	11'-7 5/8"
1	G-3	8X25Z16	6'-1 7/8"
4	G-4	8X25Z16	7'-7 3/8"
2	CB-1	CB0250	14'-0 3/4"
1	CB-2	CB0250	14'-6 1/4"
1	CB-3	CB0250	13'-2 3/4"

CONNECTION PLATES
FRAME LINE 1

OID	QUAN	MARK
1	15	CL-103
2	7	CL-100
3	1	CL-109D
4	7	4"ZEE-7"
5	7	CL-5


FLANGE BRACE TABLE
FRAME LINE 1

OID	QUAN	MARK
1	4	FB29.5

FIELD WORK TABLE
FRAME LINE 1

OID	DETAIL	DIMENSION 1	DIMENSION 2
1	SD202	1'-4 3/8"	10'-7 1/8"
2	SD202	5'-11 3/4"	-----
3	SD202	4'-8 3/8"	-----


ENG.	CHK.	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR	DAR
ISSUE	APPROVAL	PERMIT	ERECTION	DATE	MEZ	CAF	OGR	DAR												
				03/07/25																



1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	9 OF 17
JOB NUMBER:	95265
SHEET TITLE:	ENDWALL FRAMING & SHEETING

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.



ROOF FRAMING PLAN

MEMBER TABLE			
ROOF PLAN			
QUAN	MARK	PART	LENGTH
7	P-1	10X25Z12	22'-1 1/2"
7	P-2	10X25Z12	22'-1 1/2"
1	E-1	H10E16-3	19'-11 1/2"
1	E-2	H10E16-3	19'-11 1/2"
1	E-3	L10E16-3	19'-11 1/2"
1	E-4	L10E16-3	19'-11 1/2"
1	CB-6	CB0250	21'-1"
1	CB-7	CB0250	20'-7 3/4"
2	CB-8	CB0250	24'-11"
1	CB-9	CB0250	20'-6 3/4"
1	CB-10	CB0250	20'-10 3/4"

ISSUE	DATE	CHK.	ENG.
APPROVAL	03/07/75	MEZ	DAR
PERMIT	03/10/75	CAF	DAR
ERECTION	05/07/75	OGR	DAR




ROOF SHEETING
PANELS: 26 GA. PBR - COAL BLACK

1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	11 OF 17
JOB NUMBER:	95265
SHEET TITLE:	ROOF FRAMING & SHEETING PLAN


THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.



NOTE:
All Bolts are 1/2" x 1 1/4"
A307 M. Bolts

ERECTOR NOTE: IF CLIP BOXES ON BUILDING ELEVATION VIEW(S) ARE BELOW THE INTENDED GIRT LINE, THE CLIP(S) IN REFERENCE ARE TOED DOWN. IF ABOVE THE GIRT LINE, THEN TOED UP. THE DRAWINGS ABOVE ARE TOED DOWN FOR REFERENCE.


DRAWING NO.
SD87



NOTE:
All Bolts are 1/2" x 1 1/4"
A307 Mach. Bolts

ERECTOR NOTE: IF CLIP BOXES ON BUILDING ELEVATION VIEW(S) ARE LEFT OF THE INTENDED JAMB LINE, THE CLIP(S) IN REFERENCE ARE TOED LEFT. IF RIGHT OF THE JAMB LINE, THEN TOED RIGHT. THE DRAWINGS ABOVE ARE TOED LEFT FOR REFERENCE.


DRAWING NO.
SD93



NOTE:
All Bolts are 1/2" x 1 1/4"
A307 M. Bolts (UN Noted)


ERECTOR NOTE: IF CLIP BOXES ON BUILDING ELEVATION VIEW(S) ARE BELOW THE INTENDED GIRT LINE, THE CLIP(S) IN REFERENCE ARE TOED DOWN. IF ABOVE THE GIRT LINE, THEN TOED UP. THE DRAWINGS ABOVE ARE TOED DOWN FOR REFERENCE.

DRAWING NO.
SD95




NOTE:
All Bolts are 1/2" x 1 1/4"
A307 Mach. Bolts

Jamb To Eave Strut
2:12 Roof Pitch and Higher
DRAWING NO.
SD97



ERECTOR NOTE: ALL MATERIAL BY OTHERS (U.N.)
FIELD FABRICATE & ASSEMBLE AS REQ'D.
CONNECTION TO MEMBER ABOVE SIMILAR TO HEADER CONNECTION.

DRAWING NO.
SD101




Note: No more than (4) purlin spaces before criss-cross.

Roof Uplift Strap Installation
(Refer to Roof Plan for Locations)

Note: 1) Attach straps w/#10-16 x 1" pancake self driller (RF1) at purlins or girts.
2) No criss-cross straps in walls.


Wall Suction Strap Installation
(Refer to Wall Elevations for Location)

DRAWING NO.
SD102



MEMBER TABLE	
ZEE Size	Piece Mark
8"	GH-1
10"	GH-2
12"	GH-3

DRAWING NO.
SD104



1/4" Back-up Plate
(If Required by Design)

(2) 1/2" x 1 1/4" A307 M. Bolts

Anti-Roll Clip
CL-80 @ 8" Purlins
CL-81 @ 10" Purlins
CL-82 @ 12" Purlins

Section "A"

DRAWING NO.
SD115









ENG.	CHK.	DAR	DAR	DAR	DAR	DAR	DAR
DATE	DWN.	MEZ	CAF	CAF	OGR	OGR	DAR
03/07/25							
03/10/25							
05/07/25							

1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	14 OF 17
JOB NUMBER:	95265
SHEET TITLE:	DETAIL DRAWINGS

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS.

THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.




Fastener Location at Wall - PBR

DRAWING NO. TD1

Fastener Location at Roof - PBR


DRAWING NO. TD7



LOCATE THE GUTTER END CAP 8 7/8" AWAY FROM THE FRONT MITER OF THE GUTTER. IF DONE PROPERLY THE END CAP SHOULD LINE UP WITH THE LOW LEG OF THE RAKE TRIM THAT SITS ON TOP OF THE ROOF PANEL. APPLY ONE BEAD OF TUBE SEALANT (NOT BY G.W.B.) BETWEEN THE END CAP SURFACE AND THE GUTTER. ATTACH THE END CAP TO THE GUTTER USING (12) POP RIVETS. CHECK TO MAKE SURE ALL EDGES ARE SEALED WITH TUBE SEALANT (NOT BY G.W.B.). INSERT THE GUTTER INTO THE RAKE TRIM. ALIGN THE MITERED EDGES AND ATTACH TO THE RAKE TRIM WITH (12) POP RIVETS.


Sculptured Trim Detail - PBR

DRAWING NO. TD13




Low Eave Detail - PBR
Sculptured Eave - Sheeted Wall

DRAWING NO. TD16



High Eave Detail - PBR
Sculptured Eave - Sheeted Wall

DRAWING NO. TD18



NOTE: FIELD SLOPE CUT WALL PANELS AS REQUIRED FOR ROOF SLOPE

Rake Detail - PBR
Sculptured Rake - Sheeted Wall

DRAWING NO. TD35


ENG.	CHK.	DAR																		
DATE	DWN.	MEZ	CAF	CAF	OGR															
03/07/25																				
03/10/25																				
03/10/25																				
03/10/25																				

1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	16 OF 17
JOB NUMBER:	95265
SHEET TITLE:	DETAIL DRAWINGS


THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS.

THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.




Section at Corner Detail - PBR

DRAWING NO.
TD40




Framed Opening Jamb Detail - PBR

DRAWING NO.
TD51









Framed Opening Head and Sill Details - PBR

DRAWING NO.
TD52



Base Angle w/Trim Details

DRAWING NO.
TD74



NOTE: TRIM PROFILES MAY VARY; 2" MIN. LAP UNLESS NOTED
NOTE: TUBE SEALANT (NOT BY G.W.B.)

Trim Laps - PBR Sculptured

DRAWING NO.
TD85

ENG.	CHK.	DAR	DAR	DAR	DAR	DAR	DAR
DATE	DWN.	MEZ	CAF	CAF	OGR	OGR	DAR
10/07/15							
ISSUE	APPROVAL	PERMIT	ERECTION				

1101 3RD AVE
GRAND JUNCTION, CO 81501
PHONE: (800)-497-2135
WWW.GREATWESTERNBUILDINGS.COM

CUSTOMER NAME:	
PROJECT NAME:	
PROJECT LOCATION:	
PROJECT COUNTY:	
PROJECT END USE:	
CUSTOMER PHONE NUMBER:	
CUSTOMER EMAIL:	
SCALE:	N.T.S.
SHEET NUMBER:	17 OF 17
JOB NUMBER:	95265
SHEET TITLE:	DETAIL DRAWINGS

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY GREAT WESTERN BUILDINGS. THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF GREAT WESTERN BUILDINGS. THE REGISTERED PROFESSIONAL ENGINEER WHOSE SEAL AND SIGNATURE APPEARS ON THESE DRAWINGS IS EMPLOYED BY GREAT WESTERN BUILDINGS AND DOES NOT SERVE AS OR REPRESENT THE OVERALL PROJECT ENGINEER OF RECORD AND SHALL NOT BE CONSTRUED AS SUCH.